



# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 24/05/2022 Revision date: 25/08/2025 Supersedes version of: 07/11/2024 Version: 1.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : WOLF VITALTECH 10W-50 F-A  
Product code : 65650  
Type of product : WOLF  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem, Antwerpen  
België  
T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99  
[msds@wolfoil.com](mailto:msds@wolfoil.com), <https://www.wolflubes.com/>

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains C14-16-18 Alkylphenol, molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Decene, homopolymer, hydrogenated	CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949-12-0000	10 – 24.9	Asp. Tox. 1, H304
C14-16-18 Alkylphenol	CAS-No.: 1190625-94-5 EC-No.: 931-468-2	1 – 1.49	Skin Sens. 1, H317 STOT RE 2, H373
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	0.1 – 0.99	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Zinc bis(O,O-diisooctyl) bis(dithiophosphate)	CAS-No.: 28629-66-5 EC-No.: 249-109-7 REACH-no: 01-2119953278-28	0.1 – 0.99	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
molybdenum polysulphide long chain alkyl dithiocarbamate complex	EC-No.: 457-320-2 REACH-no: 01-0000019337-66	0.1 – 0.99	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	(6.25 $\leq$ C < 100) Skin Irrit. 2; H315 (10 $\leq$ C < 12.5) Eye Irrit. 2; H319 (12.5 $\leq$ C < 100) Eye Dam. 1; H318
Zinc bis(O,O-diisooctyl) bis(dithiophosphate)	CAS-No.: 28629-66-5 EC-No.: 249-109-7 REACH-no: 01-2119953278-28	(15 $\leq$ C < 100) Eye Dam. 1; H318 (15 $\leq$ C < 100) Eye Irrit. 2; H319

Full text of H- and EUH-statements: see section 16

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

##### For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, cool, well-ventilated area.

#### Switzerland

Storage class (LK)	: LK 10/12 - Liquids
--------------------	----------------------

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

##### molybdenum polysulphide long chain alkyl dithiocarbamate complex

##### EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Molybdenum polysulphide long chain alkyl dithiocarbamate complex
IOEL TWA	10 mg/m <sup>3</sup>

##### USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	5 mg/m <sup>3</sup>
ACGIH OEL STEL	10 mg/m <sup>3</sup>

##### DNEL and PNEC

Additional information	: 5 mg/m <sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).
------------------------	--

#### 8.2. Exposure controls

##### Personal protection equipment

##### Personal protective equipment:

Safety glasses. Gloves.

##### Personal protective equipment symbol(s):



##### Eye and face protection

##### Eye protection:

Standard EN 166 - Personal eye-protection.

##### Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

### Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 232 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 107 mm <sup>2</sup> /s @40°C (ASTM D445)
Solubility	: Slightly soluble, the product remains on the water surface.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 854 kg/m <sup>3</sup> @15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)

LD50 oral rat	2600 mg/kg (67/548/EEG annex V)
LD50 dermal rabbit	> 3160 mg/kg (OECD 402)
LC50 Inhalation - Rat	> 2 mg/l @1h (OECD 403)

#### Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)

LD50 oral rat	3760 mg/kg (OECD 401)
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

LD50 oral rat	> 2000 mg/kg (OECD 425)
LD50 dermal rat	> 2000 mg/kg (OECD 402)

#### 1-Decene, homopolymer, hydrogenated (157707-86-3)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	5.2 mg/l/4h

Skin corrosion/irritation : Not classified

#### Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)

Skin corrosion/irritation, rabbit	Causes skin irritation (48 Hours, OECD 404)
-----------------------------------	---

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

Skin corrosion/irritation, rabbit	Causes skin irritation (4 Hours, OECD 404 methode)
-----------------------------------	--

Serious eye damage/irritation : Not classified

#### Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)

Serious eye damage/irritation, rabbit	Causes serious eye damage. (72 Hours, 16 CFR 1500.42, SCL: Eye Irrit. 2 H319 ≥15%; Eye Dam. 1 H318 ≥ 15%.)
---------------------------------------	--

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

Serious eye damage/irritation, rabbit	Causes eye irritation
---------------------------------------	-----------------------

Respiratory or skin sensitisation : Skin sensitization: Not classified (The ingredient "C14-16-18 Alkyl Phenol" is an impurity of a substance present in the product. Based on tests performed on this substance, the skin sensitizer classification of the impurity "C14-16-18 Alkyl Phenol" is overruled.). Respiratory sensitization: Not classified (The ingredient "C14-16-18 Alkyl Phenol" is an impurity of a substance present in the product. Based on tests performed on this substance, the skin sensitizer classification of the impurity "C14-16-18 Alkyl Phenol" is overruled.).

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

Respiratory or skin sensitisation, Guinea pig	Yes (OPPTS 870.2600)
---	----------------------

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
Skin sensitization, Guinea pig	No (OECD 406)
Germ cell mutagenicity	: Not classified
<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
AMES test, Salmonella typhimurium	No (OECD 471, Read across)
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
<b>Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)</b>	
NOAEL (animal/male, F0/P)	160 mg/kg OECD 422
NOAEL (animal/female, F0/P)	160 mg/kg OECD 422
<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
NOAEL (animal/male, F1)	160 mg/kg oral (OECD 422)
<b>molybdenum polysulphide long chain alkyl dithiocarbamate complex</b>	
Reproductive toxicity, male, female, oral, rat	Based on available data, the classification criteria are not met (OECD 421)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>C14-16-18 Alkylphenol (1190625-94-5)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
<b>molybdenum polysulphide long chain alkyl dithiocarbamate complex</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day Daily dose (OECD 407)
NOAEL (dermal, rat/rabbit, 90 days)	670 mg/kg bodyweight/day Daily dose (OECD 410)
Aspiration hazard	: Not classified
<b>WOLF VITALTECH 10W-50 F-A</b>	
Viscosity, kinematic	107 mm <sup>2</sup> /s @40°C (ASTM D445)

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

<b>Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)</b>	
LC50 - Fish [1]	4.5 mg/l @96h; Oncorhynchus mykiss (OECD 203)
EC50 - Crustacea [1]	5.4 mg/l @48h; Daphnia magna (OECD 202)
EC50 72h - Algae [1]	2.1 mg/l @96h; Selenastrum capricornutum (OECD 201)
<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
LC50 - Fish [1]	3.8 mg/l @96h; Oncorhynchus mykiss (OECD 203)
EC50 - Crustacea [1]	510 mg/l @48h; Daphnia magna (OECD 202)

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
EC50 72h - Algae [1]	240 mg/l OECD 201 (Desmodesmus subspicatus)
ErC50 algae	240 mg/l @72h; Desmodesmus subspicatus (OECD 201)
NOEC (acute)	1.8 mg/l OECD 203 (Oncorhynchus mykiss)
<b>molybdenum polysulphide long chain alkyl dithiocarbamate complex</b>	
LC50 - Fish [1]	> 94.8 mg/l @96h; Oncorhynchus mykiss (OECD 203)
LC50 - Fish [2]	> 670 mg/l @96h; Oncorhynchus mykiss (OECD 203)
EC50 - Crustacea [1]	50 mg/l @48h; Daphnia magna (OECD 202)
EC50 72h - Algae [1]	14 mg/l @72h; Pseudokirchneriella subcapitata (OECD 201)
NOEC (acute)	94.8 mg/l OECD 203 (Oncorhynchus mykiss, 96h)
NOEC chronic crustacea	100 mg/l @21d; Daphnia Magna (OECD 211)
NOEC chronic algae	4.05 mg/l
<b>1-Decene, homopolymer, hydrogenated (157707-86-3)</b>	
LC50 - Fish [1]	> 1000 mg/l
LC50 - Other aquatic organisms [1]	> 1000 mg/l scenedes quadricauda @3hr
EC50 72h - Algae [1]	> 1000 mg/l waterflea @2DY
EC50 72h - Algae [2]	> 125 mg/l waterflea @21DY
NOEC (acute)	125 mg/l @Waterflea @21DY
NOEC chronic algae	> 1000 @scenedesmus quadriacauda @3hr

### 12.2. Persistence and degradability

<b>WOLF VITALTECH 10W-50 F-A</b>	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.
<b>Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	1.5 % @28d; 10 mg/l (OECD 301 B)
<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	< 5 % Read across (OECD 301D)
<b>C14-16-18 Alkylphenol (1190625-94-5)</b>	
Persistence and degradability	Rapidly degradable
<b>molybdenum polysulphide long chain alkyl dithiocarbamate complex</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	23 % @29d; 29,04 mg/L (OECD 301B)
<b>1-Decene, homopolymer, hydrogenated (157707-86-3)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	2 % 28DY @ OECD TG 301D

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

#### Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)

Partition coefficient n-octanol/water (Log Pow)	0.9 @23°C
---	-----------

#### Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)

Partition coefficient n-octanol/water (Log Pow)	2.87 @20°C
---	------------

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

BCF - Fish [1]	88 @8w; 0,05mg/l; Cyprinus carpio (OECD 305)
----------------	--

BCF - Fish [2]	< 7.4 @8w; 0,5mg/l; Cyprinus carpio (OECD 305)
----------------	--

Bioaccumulative potential	Based on available data, the classification criteria are not met.
---------------------------	---

#### 1-Decene, homopolymer, hydrogenated (157707-86-3)

Partition coefficient n-octanol/water (Log Kow)	> 6.5
---	-------

### 12.4. Mobility in soil

#### Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)

Ecology - soil	Adsorbs to soil after emission.
----------------	---------------------------------

#### molybdenum polysulphide long chain alkyl dithiocarbamate complex

Ecology - soil	Adsorbs to soil after emission.
----------------	---------------------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Regulation (EU) 2021/821 for the control of dual-use items

Contains no substance subject to the Regulation (EU) 2021/821 for the control of dual-use items

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed

SZW-lijst van mutagene stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Poland

#### Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended).  
Act of 14 December 2012 on Waste (J. o L. 2013, item 322 as amended).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2019, item 382).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. of 3 July 2018, item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	<b>Modified</b>
	Supersedes	<b>Modified</b>
1.1	Name	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization

# WOLF VITALTECH 10W-50 F-A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains C14-16-18 Alkylphenol, molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

### Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.