

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/01/2004 Revision date: 22/10/2024 Supersedes version of: 13/03/2024 Version: 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : WOLF BRAKE CLEANER UFI : WVPE-80GF-255U-9N56

Product code : 55524
Type of product : WOLF
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Wide dispersive use Function or use category : Lubricants and additives

1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.

Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen

België

T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99 msds@wolfoil.com, https://www.wolflubes.com/

1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336

Narcosis

22/10/2024 (Revision date) EN (English) 1/19 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment - Chronic Hazard,

H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

Signal word (CLP)

Contains : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C6, isoalkanes, <5% n-

hexane; acetone

Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, open flames, sparks. – No smoking.

P251 - Pressurized container: Do not pierce or burn, even after use.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P410+P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F. P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS-No.: 64742-49-0 EC-No.: 927-510-4 REACH-no: 01-2119475515- 33	≤ 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C6, isoalkanes, <5% n-hexane	CAS-No.: 64742-49-0 EC-No.: 931-254-9 REACH-no: 01-2119484651- 34	≤ 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

22/10/2024 (Revision date) EN (English) 2/19 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	≤ 20	Flam. Liq. 2, H225
acetone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	≤ 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: Annex V	≤ 5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Carbon dioxyde	CAS-No.: 124-38-9 EC-No.: 204-696-9	≤ 3	Press. Gas (Liq.), H280
n-hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	≤ 2	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411
cyclohexane	CAS-No.: 110-82-7 EC-No.: 203-806-2 EC Index-No.: 601-017-00-1	≤ 0.4	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
n-hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	(5 ≤ C ≤ 100) STOT RE 2; H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Seek medical advice.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Seek medical

attention if ill effect or irritation develops.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

22/10/2024 (Revision date) EN (English) 3/19
22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Powder. Alcohol resistant foam. Water fog.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Clear all other personnel from the area.

For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not pierce or burn, even after use.

Precautions for safe handling : Both local exhaust and general room ventilation are usually required.

Handling temperature : < 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product.

22/10/2024 (Revision date) EN (English) 4/19 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep cool. Keep container tightly closed. Store in a dry place.

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

Germany

Storage class (LGK, TRGS 510) : LGK 2B - Aerosol dispensers and lighters

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Ethanol (64-17-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	260 mg/m³ @8h	
IOEL STEL	1900 mg/m³ @15 min	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	1900 mg/m³	
	1000 ppm	
MAK (OEL STEL)	3800 mg/m³	
	2000 ppm	
Belgium - Occupational Exposure Limits		
Local name	Alcool éthylique # Ethanol	
OEL TWA	1907 mg/m³	
	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Denmark - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
	1000 ppm	
OEL STEL	3800 mg/m³	
	2000 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1900 mg/m³	
	1000 ppm	
HTP (OEL STEL)	2500 mg/m³	
	1300 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	380 mg/m³	
	200 ppm	

22/10/2024 (Revision date) EN (English) 5/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)		
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	1900 mg/m³	
CK (OEL STEL)	3800 mg/m³	
Ireland - Occupational Exposure Limits		
OEL STEL	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	260 mg/m³	
TGG-15min (OEL STEL)	1900 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	1900 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
	1000 ppm	
OEL STEL	9500 mg/m³	
	5000 ppm	
Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL)	1900 mg/m³	
	1000 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1000 mg/m³	
	500 ppm	
KGV (OEL STEL)	1900 mg/m³	
	1000 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	1920 mg/m³	
	1000 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	950 mg/m³	
	500 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	960 mg/m³	
	500 ppm	
KZGW (OEL STEL)	1920 mg/m³	
	1000 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetone	
IOEL TWA	1210 mg/m³	
	500 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Belgium - Occupational Exposure Limits		
Local name	Acétone # Aceton	
OEL TWA	594 mg/m³	
	246 ppm	
OEL STEL	1187 mg/m³	
	492 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	295 mg/m³	
	125 ppm	
propane (74-98-6)		
Belgium - Occupational Exposure Limits		
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)	
OEL TWA	1000 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Denmark - Occupational Exposure Limits		
OEL TWA	1800 mg/m³	
	1000 ppm	
OEL STEL	3600 mg/m³	
	2000 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1500 mg/m³	
	800 ppm	
HTP (OEL STEL)	2000 mg/m³	
	1100 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	1800 mg/m³	
	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	1800 mg/m³	
	1000 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	1800 mg/m³	

22/10/2024 (Revision date) 22/10/2024 (Printing date)

EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propane (74-98-6)			
Romania - Occupational Exposure Limits			
OEL TWA	1400 mg/m³		
	778 ppm		
OEL STEL	1800 mg/m³		
	1000 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	1000 ppm		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	900 mg/m³		
	500 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	1800 mg/m³		
	1000 ppm		
KZGW (OEL STEL)	7200 mg/m³		
	4000 ppm		
Carbon dioxyde (124-38-9)			
EU - Indicative Occupational Exposure Limit (IO	EL)		
Local name	Carbon dioxide		
IOEL TWA	9000 mg/m³		
	5000 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Belgium - Occupational Exposure Limits			
Local name	Carbone (dioxyde de) # Koolstofdioxide		
OEL TWA	9131 mg/m³		
	5000 ppm		
OEL STEL	54784 mg/m³		
	30000 ppm		
Remark	A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat.		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	9000 mg/m³		
	5000 ppm		

22/10/2024 (Revision date) 22/10/2024 (Printing date)

EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-hexane (110-54-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	n-Hexane	
IOEL TWA	72 mg/m³	
	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Belgium - Occupational Exposure Limits		
Local name	n-Hexane # n-Hexaan	
OEL TWA	72 mg/m³	
	20 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	72 mg/m³	
	20 ppm	
cyclohexane (110-82-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Cyclohexane	
IOEL TWA	700 mg/m³	
	200 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Belgium - Occupational Exposure Limits		
Local name	Cyclohexane # Cyclohexaan	
OEL TWA	350 mg/m³	
	100 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	525 mg/m³	
	150 ppm	

DNEL and PNEC

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

High gas/vapour concentration: gas mask with filter type A. Safety glasses.

Personal protective equipment symbol(s):



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves resistant to chemical penetration

Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Appearance : Aerosol. : Characteristic. Odour : Not available Odour threshold : 0 °C Melting point Freezing point : Not available Boiling point : -57 - 95 °C Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : -17 °C : 370 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : 1 mm²/s @20°C Viscosity, kinematic

Viscosity, dynamic : 1 mPa·s

Solubility : Slightly soluble, the product remains on the water surface.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 853 kPa @20°C Vapour pressure at 50°C : Not available Density : 727 kg/m³ Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

Relative evaporation rate (butylacetate=1) : 7 VOC content : 97 %

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

22/10/2024 (Revision date) EN (English) 10/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizers. acids. Bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrocarbons, C6, isoalkanes, <5% n-hexane (64742-49-0)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat (Vapours)	> 10000 mg/l/4h	

Ethanol (6	64-17-5
------------	---------

LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h

n-hexane (110-54-3)

LD50 oral rat	≥ 5000 mg/kg		
LD50 dermal rabbit	≥ 5000 mg/kg		
LC50, Inhalation	50 mg/l/4h		

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

3101-single exposure .	iviay cause drowsiness or dizziness.		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
Hydrocarbons, C6, isoalkanes, <5% n-hexane (64742-49-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
acetone (67-64-1)			
STOT-single exposure	May cause drowsiness or dizziness.		

22/10/2024 (Revision date) EN (English) 11/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-hexane (110-54-3)				
STOT-single exposure	May cause drowsiness or dizziness.			
cyclohexane (110-82-7)				
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure : Not classified				
n-hexane (110-54-3)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard :	Not classified.			
WOLF BRAKE CLEANER				
Viscosity, kinematic	1 mm²/s @20°C			
cyclohexane (110-82-7)				
Viscosity, kinematic	1 mm²/s			

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. : Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic)

Hydrocarbons, C6, isoalkanes, <5% n-hexane (64742-49-0)				
LC50 - Fish [1]	> 2 mg/l			
Ethanol (64-17-5)				
LC50 - Fish [1]	11000 mg/l @ Alburnus alburnus			
LC50 - Fish [2]	13000 mg/l @ Oncorhynchus mykiss			
EC50 - Crustacea [1]	9268 mg/l @ Daphnia magna			
EC50 - Crustacea [2]	12340 mg/l @ Daphnia magna			
EC50 - Other aquatic organisms [1]	1450 mg/l @192h (Mycrocystis aeruginosa)			
EC50 72h - Algae [1]	275 mg/l @ Chlorella vulgaris			

12.2. Persistence and degradability

WOLF BRAKE CLEANER			
Persistence and degradability	Not soluble in water, so only minimally biodegradable.		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)			
Persistence and degradability	Rapidly degradable		
Hydrocarbons, C6, isoalkanes, <5% n-hexane (64742-49-0)			
Persistence and degradability Rapidly degradable			

22/10/2024 (Revision date) EN (English) 12/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)			
Persistence and degradability	Rapidly degradable		
Biodegradation	89 %		
acetone (67-64-1)			
Persistence and degradability	Rapidly degradable		
propane (74-98-6)			
Persistence and degradability	Rapidly degradable		
Carbon dioxyde (124-38-9)			
Persistence and degradability	Rapidly degradable		
n-hexane (110-54-3)			
Persistence and degradability	Rapidly degradable		
cyclohexane (110-82-7)			
Persistence and degradability	Rapidly degradable		

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Bioconcentration factor (BCF REACH)	3
Partition coefficient n-octanol/water (Log Pow)	-0.35

12.4. Mobility in soil

Ethanol (64-17-5)	
Surface tension	23390 N/m @25°C
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

22/10/2024 (Revision date) 13/19 EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)

Transport document description (IMDG) : UN 1950 , 2, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1950 , 2, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1950 , 2.1, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2



IATA

Transport hazard class(es) (IATA) :



ADN

Transport hazard class(es) (ADN) : Not applicable



RID

Transport hazard class(es) (RID) : 2.1
Danger labels (RID) : 2.1



14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11
Excepted quantities (ADR) : E0
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D

Transport by sea

MFAG-No : 126

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Other information, restriction and prohibition regulations

: Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Contains : ≥30 %. aliphatic hydrocarbons.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Regulation (EU) 2021/821 for the control of dual-use items

Contains no substance subject to the Regulation (EU) 2021/821 for the control of dual-use items

VOC Directive (2004/42)

VOC content : 97 %

22/10/2024 (Revision date) EN (English) 15/19 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

National regulations

France

Occupational diseases			
Code Description			
RG 59	Occupational poisoning by hexane		
RG 66	Occupational rhinitis and asthma		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : Ethanol is listed

SZW-lijst van reprotoxische stoffen – : Ethanol,n-hexane are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : Ethanol is listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

22/10/2024 (Revision date) EN (English) 16/19

22/10/2024 (Revision date) 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended).

Act of 14 December 2012 on Waste (J. o L. 2013, item 322 as amended).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2019, item 382).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. of 3 July 2018, item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes				
Section	Changed item	Comments		
	Revision date	Modified		
	Supersedes	Modified		
2.2	Precautionary statements (CLP)	Modified		
15.1	Storage class (LGK, TRGS 510)	Added		

Abbreviations and acronyms:		
	ACGIH: American Conference of Governmental Industrial Hygienists	
	TWA: Time Weighted Average	
	TLV: Threshold Limit Value	
	ASTM: American Society for Testing and Materials	
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route	
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail	
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin	
	IMDG: International Maritime Dangerous Goods	
	ICAO: International Civil Aviation Organization	

22/10/2024 (Revision date) EN (English) 17/19 22/10/2024 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
	IATA: International Air Transport Association	
	STEL: Short Term Exposure Limit	
	LD50: median Lethal Dose for 50% of subjects	
	ATE: acute toxicity estimate	
	LC50: median Lethal Concentration for 50% of subjects	
	EC50: concentration producing 50% effect	

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

22/10/2024 (Revision date) 22/10/2024 (Printing date)

EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.