

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|                 |                                     |
|-----------------|-------------------------------------|
| Product form    | : Mixture                           |
| Product name    | : CHAMPION OEM SPECIFIC 5W40 UHPD S |
| Product code    | : 15707                             |
| Type of product | : CHAMPION                          |
| Product group   | : Blend                             |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

|                                  |  |
|----------------------------------|--|
| Main use category                | : Industrial use, Professional use, Consumer use |
| Industrial/Professional use spec | : Non-dispersive use<br>Used in closed systems   |
| Function or use category         | : Lubricants and additives                       |

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem, Antwerpen  
België  
T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99  
[msds@championlubes.com](mailto:msds@championlubes.com), <https://www.championlubes.com>

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412  
Category 3  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

|                                |  |
|--------------------------------|--|
| Hazard statements (CLP)        | : H412 - Harmful to aquatic life with long lasting effects.  |
| Precautionary statements (CLP) | : P273 - Avoid release to the environment.<br>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| EUH-statements                 | : EUH208 - Contains 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-.<br>May produce an allergic reaction.   |

#### 2.3. Other hazards

Contains PBT substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

| Name   | Product identifier   | %          | Classification according to Regulation (EC) No. 1272/2008 [CLP]                               |
|--|--|------------|---|
| 2,6-Di-tert-butylphenol  | CAS-No.: 128-39-2<br>EC-No.: 204-884-0<br>REACH-no: 01-2119490822-33 | 0.1 – 0.19 | Skin Irrit. 2, H315<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                       |
| 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-             | EC-No.: 939-700-4<br>REACH-no: 01-2119982395-25                      | 0.1 – 0.19 | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |
| O,O,O-triphenyl phosphorothioate<br>substance listed on REACH Candidate List | CAS-No.: 597-82-0<br>EC-No.: 209-909-9<br>REACH-no: 01-2119979545-21 | 0.1 – 0.19 | Aquatic Chronic 1, H410 (M=10)  |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not expected to require first aid measures.  
First-aid measures after skin contact : Wash skin with mild soap and water.  
First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.  
First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  
Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.  
Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.  
Unsuitable extinguishing media : Do not use a heavy water stream.

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.   |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.  |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

#### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Impound and recover large spill by mixing it with inert granular solids.            |
| Methods for cleaning up | : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| Other information       | : Spill area may be slippery. Use suitable disposal containers.                       |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.                 |
| Handling temperature          | : < 40 °C   |
| Hygiene measures              | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                     |   |
|---------------------|---|
| Storage temperature | : ≤ 40 °C                                   |
| Storage area        | : Store in dry, cool, well-ventilated area. |

#### Switzerland

Storage class (LK) : LK 10/12 - Liquids

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Additional information : 5 mg/m<sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Standard EN 166 - Personal eye-protection.

#### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : Oily liquid.      |
| Colour                                     | : brown.            |
| Odour                                      | : Characteristic.   |
| Odour threshold                            | : No data available |
| pH   | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

|   |   |
|---|---|
| Boiling point                                   | : No data available   |
| Flash point                                     | : > 200 °C (ASTM D92)   |
| Auto-ignition temperature                       | : No data available   |
| Decomposition temperature                       | : No data available   |
| Flammability (solid, gas)                       | : No data available   |
| Vapour pressure                                 | : No data available   |
| Relative vapour density at 20°C                 | : No data available   |
| Relative density                                | : No data available   |
| Density   | : 0.854 g/ml @15°C (ASTM D4052)                               |
| Solubility                                      | : Slightly soluble, the product remains on the water surface. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available   |
| Viscosity, kinematic                            | : 84.3 mm <sup>2</sup> /s @40°C (ASTM D445)                   |
| Viscosity, dynamic                              | : No data available   |
| Explosive properties                            | : No data available   |
| Oxidising properties                            | : No data available   |
| Explosive limits                                | : No data available   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### 2,6-Di-tert-butylphenol (128-39-2)

|                    |                         |
|--------------------|-------------------------|
| LD50 oral rat      | > 5000 mg/kg (OECD 401) |
| LD50 dermal rabbit | > 10000 mg/kg           |

#### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

|                 |                                    |
|-----------------|------------------------------------|
| LD50 oral rat   | 3313 mg/kg bw/day (OECD 401)       |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402) |

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified

### 2,6-Di-tert-butylphenol (128-39-2)

Skin corrosion/irritation, rabbit Positive (OECD 404, Not H315 at <35%. On basis of test data.)

### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Skin corrosion/irritation, rabbit Positive (OECD 404)

Serious eye damage/irritation : Not classified

### 2,6-Di-tert-butylphenol (128-39-2)

Serious eye damage/irritation, rabbit Negative (OECD 405)

### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Serious eye damage/irritation, rabbit Negative (OECD 405)

Respiratory or skin sensitisation : Not classified

### 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Respiratory or skin sensitisation, Guinea pig Positive (OECD 406)

### 2,6-Di-tert-butylphenol (128-39-2)

Skin sensitization, Guinea pig Negative (OECD 406)

Germ cell mutagenicity : Not classified

### 2,6-Di-tert-butylphenol (128-39-2)

Bacterial Reverse Mutation Test, In vitro, Bacteria Negative

Mammalian Chromosomal Aberration Test, In vitro, mammalian Negative (OECD 473)

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

### 2,6-Di-tert-butylphenol (128-39-2)

NOAEL (subacute, oral, 28 days) 100 mg/kg bodyweight/day (OECD 407)

NOAEL (subchronic, oral, 90 days) 270 mg/kg bodyweight/day (OECD 408)

Aspiration hazard : Not classified

## CHAMPION OEM SPECIFIC 5W40 UHPD S

Viscosity, kinematic 84.3 mm<sup>2</sup>/s @40°C (ASTM D445)

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

### 2,6-Di-tert-butylphenol (128-39-2)

LC50 - Fish [1] 1.4 mg/l @4d; Pimephales promelas

LC50 - Fish [2] 13 mg/l @4d; Oncorhynchus mykiss

EC50 - Crustacea [1] 0.45 mg/l @2d; Daphnia magna

EC50 - Crustacea [2] 0.8 mg/l @2d; Daphnia magna

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| <b>2,6-Di-tert-butylphenol (128-39-2)</b>                               |   |
|---|---|
| EC50 - Other aquatic organisms [1]                                      | > 1000 mg/l @0,1d; derelinquere caeno           |
| EC50 96h - Algae [1]  | 1.2 mg/l @3d; Selenastrum capricornutum         |
| NOEC (chronic)  | 0.035 mg/l @21d - Daphnia magna                 |
| NOEC chronic crustacea  | 0.035 mg/l @21d; Daphnia magna                  |
| NOEC chronic algae  | 0.64 mg/l @96h; Pseudokirchneriella subcapitata |
| <b>1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-</b> |   |
| LC50 - Fish [1]   | 1.3 mg/l @96h; Danio rerio (OECD 203)           |
| EC50 - Crustacea [1]  | 2.05 mg/l @48h; Daphnia magna (OECD 202)        |
| EC50 72h - Algae [1]  | 0.976 mg/l Desmodesmus subspicatus (OECD 201)   |
| NOEC chronic crustacea  | 0.35 mg/l @21d; Daphnia magna (OECD201)         |
| NOEC chronic algae  | 13 mg/l @3h; Activated sludge (OECD 209)        |
| <b>O,O,O-triphenyl phosphorothioate (597-82-0)</b>                      |   |
| LC50 - Fish [1]   | > 100 mg/l @96h; Brachydanio rerio              |
| EC50 - Crustacea [1]  | > 100 mg/l @48h; Daphnia magna                  |
| EC50 72h - Algae [1]  | > 100 mg/l Scenedesmus quadricauda              |
| NOEC (acute)  | > 5.5 @ 21DY (Daphnia magna)                    |
| NOEC chronic fish   | 0.0017 mg/l @97d; Oncorhynchus mykiss           |
| NOEC chronic crustacea  | > 5.5 mg/l @21d; Daphnia magna                  |

### 12.2. Persistence and degradability

| <b>CHAMPION OEM SPECIFIC 5W40 UHPD S</b>                                |  |
|---|--|
| Persistence and degradability   | Not soluble in water, so only minimally biodegradable.         |
| <b>2,6-Di-tert-butylphenol (128-39-2)</b>                               |  |
| Persistence and degradability   | Rapidly degradable   |
| Biodegradation  | 5 % @28d (OECD TG 301 B)                                       |
| <b>1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-</b> |  |
| Persistence and degradability   | Not readily biodegradable.                                     |
| Biodegradation  | 7 % @28d (OECD 301 B)  |
| Biodegradation  | 60 % (28 days, OECD 302 B)                                     |
| <b>O,O,O-triphenyl phosphorothioate (597-82-0)</b>                      |  |
| Persistence and degradability   | Not rapidly degradable   |
| Biodegradation  | 17.8 – 19.3 % @28d (OECD 301B); 59,9 - 66,8 % @28d (OECD 302C) |

### 12.3. Bioaccumulative potential

| <b>2,6-Di-tert-butylphenol (128-39-2)</b>          |                  |
|--|------------------|
| Partition coefficient n-octanol/water (Log Kow)    | 4.5 Measurements |
| <b>O,O,O-triphenyl phosphorothioate (597-82-0)</b> |                  |
| BCF - Fish [1]                                     | 2.551            |

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| Component                                   |   |
|---|---|
| 2,6-Di-tert-butylphenol (128-39-2)          | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| O,O,O-triphenyl phosphorothioate (597-82-0) | This substance meets the PBT criteria of REACH regulation, annex XIII<br>vPvB: not yet assessed   |

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.  
European List of Waste (LoW, EC 2000/532) : 13 02 06\* - synthetic engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1 UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: O,O,O-triphenyl phosphorothioate (EC 209-909-9, CAS 597-82-0)

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Regulation (EU) 2021/821 for the control of dual-use items

Contains no substance subject to the Regulation (EU) 2021/821 for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

#### Netherlands

- SZW-lijst van kankerverwekkende stoffen : None of the components are listed
- SZW-lijst van mutagene stoffen : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### Poland

- Polish National Regulations : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended).  
Act of 14 December 2012 on Waste (J. o L. 2013, item 322 as amended).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2019, item 382).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. of 3 July 2018, item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)  
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

| Indication of changes |               |                 |
|-----------------------|---------------|-----------------|
| Section               | Changed item  | Comments        |
|                       | Supersedes    | <b>Modified</b> |
|                       | Revision date | <b>Modified</b> |

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Indication of changes |  |                 |
|-----------------------|--|-----------------|
| Section               | Changed item   | Comments        |
| 2.1                   | Classification according to Regulation (EC) No. 1272/2008 [CLP]              | <b>Added</b>    |
| 2.2                   | Precautionary statements (CLP)   | <b>Added</b>    |
| 2.2                   | Hazard statements (CLP)  | <b>Added</b>    |
| 2.2                   | EUH-statements   | <b>Modified</b> |
| 3                     | Composition/information on ingredients                                       | <b>Modified</b> |
| 9                     | Flash point  | <b>Modified</b> |
| 9                     | Density  | <b>Modified</b> |
| 9                     | Viscosity, kinematic   | <b>Modified</b> |
| 11                    | Adverse health effects caused by endocrine disrupting properties             | <b>Added</b>    |
| 12.6                  | Adverse effects on the environment caused by endocrine disrupting properties | <b>Added</b>    |
| 13.1                  | European List of Waste (LoW, EC 2000/532)                                    | <b>Added</b>    |
| 15.1                  | Swedish product registration number  | <b>Added</b>    |
| 15.1                  | Storage class (LGK, TRGS 510)  | <b>Added</b>    |

| Abbreviations and acronyms: |  |
|-----------------------------|--|
|                             | ACGIH: American Conference of Governmental Industrial Hygienists   |
|                             | TWA: Time Weighted Average   |
|                             | TLV: Threshold Limit Value   |
|                             | ASTM: American Society for Testing and Materials   |
|                             | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route                       |
|                             | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail                                    |
|                             | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
|                             | IMDG: International Maritime Dangerous Goods   |
|                             | ICAO: International Civil Aviation Organization  |
|                             | IATA: International Air Transport Association  |
|                             | STEL: Short Term Exposure Limit  |
|                             | LD50: median Lethal Dose for 50% of subjects   |
|                             | ATE: acute toxicity estimate   |
|                             | LC50: median Lethal Concentration for 50% of subjects  |
|                             | EC50: concentration producing 50% effect   |

# CHAMPION OEM SPECIFIC 5W40 UHPD S

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements:

|                   |  |
|-------------------|--|
| Aquatic Acute 1   | Hazardous to the aquatic environment – Acute Hazard, Category 1  |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1  |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2  |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1      | Skin sensitisation, Category 1   |
| H315              | Causes skin irritation.  |
| H317              | May cause an allergic skin reaction.   |
| H400              | Very toxic to aquatic life.  |
| H410              | Very toxic to aquatic life with long lasting effects.  |
| H411              | Toxic to aquatic life with long lasting effects.   |
| H412              | Harmful to aquatic life with long lasting effects.   |
| EUH208            | Contains 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-. May produce an allergic reaction. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.