

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 08/10/2019 Revision date: 20/05/2025 Supersedes version of: 12/02/2024 Version: 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : CHAMPION PRORACING GP AIR FILTER CLEANER SPRAY

UFI : KUAT-VYGY-F453-4RG9

Product code : 55517

Type of product : CHAMPION

Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Industrial/Professional use spec : Non-dispersive use

Used in closed systems

Function or use category : Lubricants and additives

#### 1.3. Details of the supplier of the safety data sheet

CHAMPION CHEMICALS N.V.

Georges Gilliotstraat, 52 2620 Hemiksem, Antwerpen

Doloiö

T 0032 (0)3 870 00 00, F 0032 (0)3 870 00 99

msds@championlubes.com, https://www.championlubes.com

#### 1.4. Emergency telephone number

Emergency number : 0032 (0)3 870 00 00

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

20/05/2025 (Revision date) EN (English) 1/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Contains : Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated. H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames. - No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Pressurized container: Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F. P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics	EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	50 – 75	Asp. Tox. 1, H304
Butane	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: Annex V	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 REACH-no: 01-2119485395- 27	1 – 2.5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

20/05/2025 (Revision date) EN (English) 2/15

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Allow affected person to breathe fresh air. Seek medical advice.

First-aid measures after skin contact : Wash skin with mild soap and water.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

## **6.2. Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.

Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.

Other information : Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

No additional information available

20/05/2025 (Revision date) EN (English) 3/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Take precautionary measures against static discharges.

Both local exhaust and general room ventilation are usually required. Prevent explosions. Container under pressure. Do not drill or burn even after use. Keep away from sources of

ignition - No smoking.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : ≤ 40 °C

Storage area : Store in dry, cool, well-ventilated area.

Special rules on packaging : Packaging destined for the general public must be fitted with a tactile danger indication.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

National occupational exposure and biological limit values

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics			
Belgium - Occupational Exposure Limits			
OEL TWA	200 mg/m³		
Butane (106-97-8)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	1600 mg/m³		
	800 ppm		
Belgium - Occupational Exposure Limits			
Local name	Butane, tous isomères: n-butane # Butaan, alle isomeren: n-butaan		
OEL STEL	2370 mg/m³		
	980 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		
Denmark - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
OEL TWA	1200 mg/m³		
	500 ppm		
OEL STEL	2400 mg/m³		
	1000 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	1900 mg/m³		
	800 ppm		
HTP (OEL STEL)	2400 mg/m³		
	1000 ppm		

20/05/2025 (Revision date) EN (English) 4/15 20/05/2025 (Printing date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butane (106-97-8)			
France - Occupational Exposure Limits			
VME (OEL TWA)	1900 mg/m³		
	800 ppm		
Germany - Occupational Exposure Limits (TRGS 90	00)		
AGW (OEL TWA)	2400 mg/m³		
	1000 ppm		
Hungary - Occupational Exposure Limits			
CK (OEL STEL)	2350 mg/m³		
Ireland - Occupational Exposure Limits			
OEL STEL	1000 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	300 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	1900 mg/m³		
NDSCh (OEL STEL)	3000 mg/m³		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	1000 ppm		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	1450 mg/m³		
	600 ppm		
WEL STEL (OEL STEL)	1810 mg/m³		
	750 ppm		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	600 mg/m³		
	250 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	1900 mg/m³		
	800 ppm		
propane (74-98-6)			
Belgium - Occupational Exposure Limits			
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)		
OEL TWA	1000 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		
Denmark - Occupational Exposure Limits	Denmark - Occupational Exposure Limits		
OEL TWA	1800 mg/m³		
	1000 ppm		
OEL STEL	3600 mg/m³		
	2000 ppm		

20/05/2025 (Revision date) 20/05/2025 (Printing date)

EN (English)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propane (74-98-6)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1500 mg/m³	
	800 ppm	
HTP (OEL STEL)	2000 mg/m <sup>3</sup>	
	1100 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	1800 mg/m³	
	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	1800 mg/m³	
	1000 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	1800 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	1400 mg/m³	
	778 ppm	
OEL STEL	1800 mg/m³	
	1000 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	1000 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	900 mg/m³	
	500 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	1800 mg/m³	
	1000 ppm	
KZGW (OEL STEL)	7200 mg/m³	
	4000 ppm	
Isobutane (75-28-5)		
Belgium - Occupational Exposure Limits		
Local name	Butane, tous isomères: iso-butane # Butaan, alle isomeren: iso-butaan	
OEL STEL	2370 mg/m³	
	980 ppm	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1900 mg/m³	
	800 ppm	
HTP (OEL STEL)	2400 mg/m³	
	I	

20/05/2025 (Revision date) 20/05/2025 (Printing date)

EN (English)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isobutane (75-28-5)	
	1000 ppm
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA)	2400 mg/m³
	1000 ppm
Ireland - Occupational Exposure Limits	
OEL STEL	1000 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	1900 mg/m³
	800 ppm

#### **DNEL and PNEC**

Additional information

: 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

#### 8.2. Exposure controls

#### Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):





#### Eye and face protection

#### Eye protection:

Standard EN 166 - Personal eye-protection.

#### **Skin protection**

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### **Respiratory protection**

## Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

: Liquid Physical state : Colourless. Colour Appearance : Aerosol. Odour : Characteristic. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : -44.5 °C Flammability : Not available Lower explosion limit : 0.7 vol %

20/05/2025 (Revision date) EN (English) 7/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Vapour pressure at 50°C

Density

Relative density

Relative vapour density at 20°C

Particle characteristics

Not available

Not available

Not available

Not available

#### 9.2. Other information

#### Information with regard to physical hazard classes

Explosion limits : 0.7 – 10.9 vol %

Other safety characteristics

VOC content : 665 g/l (95,7 %)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal conditions.

## 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

None under normal conditions.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics	
LD50 oral rat > 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat (Vapours) > 4951 mg/l/4h (OECD 403)	

Skin corrosion/irritation : Not classified

20/05/2025 (Revision date) EN (English) 8/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified.

## **CHAMPION PRORACING GP AIR FILTER CLEANER SPRAY**

Viscosity, kinematic ≤ 20.5 mm²/s @40°C

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics	
LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna)
EC50 72h - Algae [1]	> 1000 mg/l (Pseudokirchneriella subcapitata)

## 12.2. Persistence and degradability

CHAMPION PRORACING GP AIR FILTER CLEANER SPRAY		
Persistence and degradability	Not soluble in water, so only minimally biodegradable.	
Hydrocarbons, C10-C13, n-alkanes, iso-alkane	es, cyclic, <2% aromatics	
Persistence and degradability	Rapidly degradable	
Biodegradation	80 % (OECD 301F) @28d	
Butane (106-97-8)	Butane (106-97-8)	
Persistence and degradability	Rapidly degradable	
propane (74-98-6)		
Persistence and degradability Rapidly degradable		
Isobutane (75-28-5)		
Persistence and degradability	Rapidly degradable	

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, <2% aromatics	
Ecology - soil	Volatile liquid.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1950

 UN-No. (IMDG)
 : UN 1950

 UN-No. (IATA)
 : UN 1950

 UN-No. (ADN)
 : UN 1950

 UN-No. (RID)
 : UN 1950

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS
Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) (ADR) : UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1
Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1
Transport document description (ADN) : UN 1950 AEROSOLS, 2.1
Transport document description (RID) : UN 1950 AEROSOLS, 2.1

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1



20/05/2025 (Revision date) EN (English) 10/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### IATA

Transport hazard class(es) (IATA) : 2.1
Danger labels (IATA) : 2.1



#### ADN

Transport hazard class(es) (ADN) : 2.1 Danger labels (ADN) : 2.1



#### **RID**

Transport hazard class(es) (RID) : 2.1
Danger labels (RID) : 2.1



## 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

#### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2

20/05/2025 (Revision date) EN (English) 11/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Stowage category (IMDG) : None

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

**Inland waterway transport** 

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200

Special packing provisions (RID) : P207, EF200

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

Other information, restriction and prohibition : Regulation (EC) No. 648/2004 of 31 March 2004 on detergents. Contains : ≥15 - 30%. regulations : ≥5 - 15%. non-ionic surfactants.

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

20/05/2025 (Revision date) EN (English) 12/15 20/05/2025 (Printing date)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Regulation (EU) 2021/821 for the control of dual-use items

Contains no substance subject to the Regulation (EU) 2021/821 for the control of dual-use items

#### VOC Directive (2004/42)

VOC content : 665 g/l (95,7 %)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### **National regulations**

#### Germany

VOC ordinance (ChemVOCFarbV) : VOC content 665 g/l (95,7 %)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

: Is not subject to the Hazardous Incident Ordinance (12. BImSchV) Hazardous Incident Ordinance (12. BlmSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

: 5-3 (Executive Order No. 301 from 1993) MAL code

Class for fire hazard Class I-1 Store unit 1 liter

Classification remarks : F+ <Aerosol 1; Flam. Liq. Not classified>; Emergency management guidelines for the

storage of flammable liquids must be followed

**Danish National Regulations** Young people below the age of 18 years are not allowed to use the product

20/05/2025 (Revision date) 20/05/2025 (Printing date)

EN (English)

13/15

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Poland**

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended).

Act of 14 December 2012 on Waste (J. o L. 2013, item 322 as amended).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2019, item 382).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. of 3 July 2018, item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## **SECTION 16: Other information**

Indication of changes		
Section	Changed item	Comments
	Revision date	Modified
	Supersedes	Modified
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.2	Precautionary statements (CLP)	Modified
2.2	Hazard pictograms (CLP)	Modified
2.2	Hazard statements (CLP)	Modified
3	Composition/information on ingredients	Modified
9	Viscosity, kinematic	Added
9	Auto-ignition temperature	Added
9	Vapour pressure	Modified
9	Density	Modified

Abl	Abbreviations and acronyms:	
		ACGIH: American Conference of Governmental Industrial Hygienists
		TWA: Time Weighted Average

20/05/2025 (Revision date) EN (English) 14/15 20/05/2025 (Printing date)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

#### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Press. Gas (Comp.)	Gases under pressure : Compressed gas
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.